

## **General Special Provision Revisions Effective December 2, 2002**

Please Note: The following list is a brief overview of each revision and the actual GSP should be read in its entirety to become completely knowledgeable of the revision.

### **General Special Provision 02061.GR1 Preparation of Proposal**

This special provision has been deleted as we are no longer going to establish a minimum bid amount for traffic control labor.

### **General Special Provision 07121.FR1 Indian Preference and Tribal Ordinances**

This specification was modified to strengthen the words to the contractor that it is their responsibility to make contact with any tribal government to determine if tribal laws or taxes apply within the project limits and if laws or taxes do apply to comply with them in accordance with Standard Specification 1-07.1.

### **General Special Provision DBE.FR1 Voluntary DBE Participation**

This specification was deleted as WSDOT is no longer going to set voluntary DBE goals on federally funded projects.

### **General Special Provision 04027A.FR5 Test Requirements**

This special provision was added to address the testing requirements when volumetrics are utilized on a project.

### **General Special Provision 040502A.GR5 Price Adjustments for Quality of AC Mix**

This special provision was added for evaluation of a payment factor for the quality of AC mix for Class Superpave ACP.

### **General Special Provision 040308A2.GR5 Acceptance Sampling and Testing**

This special provision was added to evaluate and accept ACP Class Superpave based on volumetrics.

### **General Special Provision 02203.GB6 Epoxy Bonding Agent for Surfaces and for Steel Reinforcing Bar Dowels**

This special provision is intended to specify epoxy bonding agent for two main uses. In the past there has been some confusion on the use to bond steel reinforcing bar dowels into concrete and to provide a bonding surface between existing concrete and new concrete or metal surfaces.

By revising the heading of the GSP, the intended use of the Epoxy Bonding agent is clarified. Also, the type of epoxy bonding agent specified for use with steel reinforcing bar dowels is revised to Type I or IV in accordance with the newly revised Standard Specification 9-26.

### **General Special Provision 02230.GB6 Fabric Pad Bearing**

The provision was revised to change the acronym for polytetrafluorethylene from "TFE" to "PTFE" to reflect the revision made by the industry.

**General Special Provision 02319B1.GB6 Fabric Pad Bearing**

The provision was revised to change the acronym for polytetrafluorethylene from “TFE” to “PTFE” to reflect the revision made by the industry.

**General Special Provision 02328A1.GR6 Precast Reinf. Conc. Three Sided Structure**

This special provision was revised by changing the number of Shop Drawings to be submitted for approval from seven to eight sets.

**General Special Provisions 0803031.GB6 Applying Membrane Waterproofing**

The test specified in this GSP (WSDOT Test Method No. 413A) does not achieve the desired results and causes an unnecessary time restriction during overlay placement and therefore has been deleted and the GSP has been revised to allow acceptance by a visual inspection.

**General Special Provisions 010302B3.FR8 & 010302B4.FR8 Seeding and Fertilizing**

These GSP’s have been revised by deleting sulfur coated urea (SCU) as a source of nitrogen and replaced it with the following “a time release polyurethane coated source with a minimum release time of 6 months”.

**General Special Provision 02021.GR8 Compost**

This GSP was elevated to the Standard Specifications in the form of an Amendment to Section 9-14.4(8).

**General Special Provision 0203051.GR8**

This GSP was revised to exclude incorporation of the compost as some projects only require the placement and spreading of compost.

**General Specials Provision 0203051A.GR8**

This is a new GSP , similar to 0203051.GR8 that requires placement, spreading and incorporation of compost.

**General Special Provision 02051A.GR8 Payment**

This is a new GSP to create a payment statement for GSP 0203051.GR8.

**General Special Provision 200225.GR8 Light and Signal Standards**

This revision updates the pre-approved drawing number for Pole suppliers.

**General Special Provision 200226.GR8 Light Standards with Type 2 Luminaire Arms**

This revision updates the pre-approved drawing number for Pole suppliers.